POWER

605 v.76

GENERAL INDEX TO VOLUME LXXVI

July—December, 1932

July ..... Pages 1-56
August ..... " 57-112
September ..... " 113-166
October ..... " 167-220
November ..... " 221-276
Mid-December ..... " 277-330
December ..... " 331-384

A

Air, compressed, weight of 260

AIR COMPRESSORS

Compressed air from crankless Diesel. J. G. Coutant *237
Compressed air and vacuum from one machine. Earl Pagett 93
Volumetric efficiency of an air compressor 154

AIR CONDITIONING

A.S.R.E. meeting 354
Conditioned air as a factory tool (Ed.) 221
Macy plant supplies heating and air conditioning *4
Summary of outstanding progress in air conditioning. P. R. Randall..... *279
Air flow in duct elbows (Ed.) 114
Air preheaters — Air heater corrosion. B. M. Thornton..... 152
Blowing soot from regenerative air heaters. H. S. Colly 206
American Institute of Electrical Engineers —Hydro and steam discussed at Baltimore meeting 264
American Society of Mechanical Engineers —New Officers *347
Steam, hydro and power economics at meeting 45
Thoughts, events and personalities (Ed.) 332
American Society of Refrigerating Engineers—Meeting 354
American Welding Society—Buffalo meeting *263
Ash handling—Removal of ash as molten slag (A.S.M.E. meeting) 335
Soap used in water for spraying flyash. W. E. Warner 256

B

BEARINGS

Babbitt or anti-friction metal? L. R. Baker 35
Don't reclaim babbitt. A. H. Levy..... 35
Further points on babbitt. L. R. Baker. 153
Belts—Longer lives for conveyor belts.... *198

BOILERS

Air control for stokers. J. H. Walker (Beacon St. plant) *282
Air in boiler drum causes drop in turbine vacuum. Ralph Emmons 153
Blowoff connection. T. A. Walsh..... 35
Blowdown system competes with heaters. P. F. Rogers 34
Boiler spins at turbine speed. Heinrich Vorkauf *223
Boiler-tube failures reduced by extending feedwater header. H. M. Spring..... *308
"Carry over" (Ed.) 277
Central station engineers analyze steam nozzles boiler performance (A.S.M.E. meeting) *336
Circulating pipe connection on Scotch-type boiler. C. A. Seley 94
Continuous blowdown. E. F. Heckel.. 94
Dowtherm boiler produces vapor for process use. G. A. Yocum..... *202
Electric boilers solve heating problems. C. R. Reid *120
Every boiler should be at least fifty per cent furnace. H. G. Lykken 20
Feedwater regulation prevents violent fluctuations in load. B. G. Dick (charts) (Portland Gas & Coke)..... *242
Figuring the capacities of tanks and boilers. C. R. Chadbourne 158
Gage glass readings are misleading. Grant Campbell *206
"Old" at 51 years—or 20? R. K. Schelke 256
Pure air and boiler setting (A.S.M.E. meeting) 345
Pushbutton control for boilers. E. S. Bristol *64
"Smokeless" for smoking furnaces? W. S. Peugeot 95
Steam requirements shown by signal system. E. Kerr *32
Turbines and boilers cut Pennsylvania Sugar's fuel bill *59
Venting boilers before going on the line. Green, Longstreet, Rivett 313
Boilers, see also Stokers.

BOOK REVIEWS

Electric power equipment. J. G. Tarbous 47
Elementary hyperbolics. M. J. Gheury de Bray 100
Fluid meters, report of A.S.M.E..... 210
Gluud's international handbook of the by-product coke industry. D. L. Jacobson 262
Handbook of the National District Heating Assn. 159
Hoyer-Kreuter technologisches worterbuch. A. Schlomann 159
Hydraulics of open channels. B. A. Bakhmeteff 47
Industrial gas series—combustion 100
I-S diagramme fur verbrennungsgase und ihre anwendung auf die verbrennungsmaschine. Walter Pflaum 100
Modern materials handling. S. J. Koshkin 210
Principles of refrigeration. W. H. Motz 159
Recent technological development and the municipally owned power plant. P. J. Raver 100
Refrigerating data book 159
Refrigeration. Moyer & Fittz 262
Rewinding small motors. Braymer & Roe 210
Report of proposed American standard definitions of electrical terms..... 262
Steam power plant engineering. L. A. Harding 210
Textbook of metallurgical problems. Allison Butts 47
Thermodynamics. J. E. Emswiler..... 262
Verdunstung und warmeubergang an senkrechten platten in ruhender luft. R. Hilpert 159
Bulletin notices 316
Business conditions—Prosperity is made not born (Ed.) 113
Swing up (Ed.) 57

C

Casting plus welding for better power equipment *302

CHARTS

Daily record of plant power factor. Kurt Mahnke 91
Distribution of fuel, steam, water and electricity. H. E. Hill 9
Smoke charts compared 197
Chimneys—Wind bulges steel stacks. T. E. Jarnigan 150

COAL

Coal buying. A. A. Bement *88
Coal mines move to reduce power costs (Ed.) 167
Coals of the United States (Power's Data Sheets) 140
Coal pile sounded from traveling crane 317
Fuel cost of power from process steam. 244
How anthracite coal burns. R. S. Julsrud (charts) *253

COMBUSTION

How anthracite coal burns. R. S. Julsrud (charts) *253
"Mol" simplifies combustion problems. E. F. Dawson 292
Sectionalized air control for stokers. J. H. Walker (Beacon St. plant)..... *282
Condensers—All welded steel condensers. C. F. Fox *230
Design factors approved by surface condenser builders (charts) 133

CONTROL

Air control for stokers. J. W. Walker (Beacon St. plant) *282
Automatic pumping stations report their own status *307
Automatic regulators control process steam. F. A. Byles *179
Feedwater control prevents violent fluctuations in load. B. G. Dick (charts) (Portland Gas & Coke) *242
Floor selectors for elevators. William DeVaughn *66
Generator brakes control installed at switchboard. O. L. Hooper *205
Program load control increases efficiency of steam-turbine station. Hayward & Decamp (charts) *238
Pushbutton control for boilers. E. S. Bristol *64
Control, see also Meters.
Cooling towers—Newark News building has condensing turbine and new cooling towers. G. H. Gibson *176
Corrosion—Air heater corrosion. B. M. Thornton 152
Protecting feedwater tanks 136

COSTS AND PERFORMANCE

Be spare with spare capacity (Ed.)..... 3
How to cut steam costs in heating circulated oil. W. J. Tangerman..... *228
How to save money in purchasing steam (charts) 130
Installing a synchronous motor instead of induction motor saves. Forschner & Talley *241
McGraw-Hill building purchases heat and power. C. P. Wood *16
Macy's plant doubles output, reduces fuel cost *4
National Biscuit Company saves $500,000 190
New stokers save fuel in Brooklyn Yarn Dye plant. J. G. Berger..... *135
Operating costs on four large power systems 156
Power, light and heat costs controlled in 85 plants on National Biscuit. Acheson & Galloway 72
System for billing metered services in Westinghouse plants. C. J. Zetler, Jr. (charts) *10
Union Stock Yards uses power from three sources. E. E. Ashley..... *298
Credit or courage? (Ed.) 168

D

Diphenyloxide used in boiler for process steam. G. A. Yocum *202
Drives—Alignment of chain drives. Baker, Dunn, Low, Warden, Leavitt, Pearce. 42
Dust elimination, see Smoke abatement.

E

Edison Jumbo *178

ELECTRICITY

Alternator-exciter capacity 154
Automatic pumping stations report their own status *307
Automatic regulators control process steam. F. A. Byles *179
Balance coils would not give proper voltage *99
Causes of motor operating at reduced speed. C. E. Moulson 258
Changing two-phase motors for three-phase operation. C. R. Sugg *149
Chart gives daily record. Kurt Mahnke 91
Commutators and collector rings *36
Conductor sizes required for lamp load. 154
Connecting alternating current generators in parallel. S. Ein 94
Connecting alternating current generators in parallel. M. A. Williams..... 152
Constant versus variable speed for auxiliary drives. J. R. Darnell (chart) 157
Control of generator brakes installed at switchboard. O. L. Hooper *205
Control trouble cured by additional starting point. M. E. Wagner *151
Distribution of fuel, steam, water and electricity charted. H. E. Hill..... 9
Edison Jumbo *178
Electric heat costs. L. T. M. Ralston.. 35
Electric steam generators find increasing use for surplus hydro power.... *295
Electric steam generators use surplus hydro power *295
Electrical loads analyzed for Boston Post Office. D. D. Eames *172
Exit lamp power consumption reduced. W. DeVaughn 33
Field coil short circuited caused another to burn out. M. W. Morgan..... *92
542,000 Kw. generated at Magnitogorsk, Siberia *79, note 90
Floor selectors for elevators. William DeVaughn *66
Gas-engine-driven electric generators pump for hydro plant on Lake Keuka. *76
Generator kept in service by three little wood blocks. B. A. Briggs *207
Hudson Ave. Station — world's largest generator *25
Installing a synchronous motor instead of induction motor saves. Forschner & Talley *241
Insulating varnishes. Arnold & Frost.. 318
Low-cost hydro electricity operates boilers. C. R. Reid *120
Magnet switch stays closed 314

(*) Illustrated. (Ed.) Editorial.

Page

Making load tests on three-phase motors. H. Wilson *310
Marking controller points simplifies coal-pulverizer operation. T. E. Miller.... *309
Mechanical and electrical equipment for 11 institutions centered in one plant (Washington University Medical School at St. Louis) *85
Metal wedges used in induction motor slots 42
Poor connection caused generator to shirk its load. T. O. Dunn *203
Program load control increases efficiency of steam turbine station. Hayward & DeCamp (charts) *238
Proper controller maintenance increases motor reliability. Marin Phillips.... 235
Protecting polyphase motors against single phase operation. R. B. Glenn. 313
Protecting three phase motors against single phase operation. H. Wilson.... 94
Pump motor cooled by gasoline. H. W. Stalnaker *290
Pushbutton control for boilers. E. S. Bristol *64
Short circuit on generator prevents turbine operating at full speed. R. M. Barber 259
Signal system shows steam requirements. E. Kerr *32
Star connected and delta connected motor windings 314
Starter, automatic, replaced by manual in emergency. C. A. Armstrong *311
Stator of Trollhattan generator..... *27
Synchronous motor put into operation for first time. C. A. Armstrong.... 149
Synchronous motors started on part of winding (chart) *141
Synchronous motor trips running switch when starting. S. Ein 204
Synchronous motor trips running switch when started. C. O. Mills 312
Unloading compressors for easy starting. Leon Buehler, Jr. *146
Vacuum tube will measure hundredth of a millionth of a billionth of an ampere *25
Variable speed transmission has many applications *124
Why wound rotor motor operates at reduced speed. Glen, Oliver, Olive, Friedman, Agate, Emerson, Hope.... 208

ELEVATORS

Automatic lubricators for elevator parts..*250
Floor selectors for elevators. William DeVaughn *66
Hydraulic elevator guide rails reinforced with steel plates. R. K. Rogers..... *203
Engineering opportunity lost (Ed.) 167
Engineers—Licenses from National Bureau (Ed.) 278
Men to fit the job (Ed.) 3

ENGINES—INTERNAL COMBUSTION

British high speed oil engines discussed at A.S.M.E. meeting 45
Copenhagen installs world's largest Diesel engine *184
Diesel air compressor has free pistons. J. G. Coutant *237
Diesels below Capricorn serve mining loan *301
Diesel engine generators save money for Macy's *4
Diesel engines in the cotton oil industry 211
Diesel engines use new metals and alloys.*115
Diesels for small boats (A.S.M.E. meeting) 345
Diesel power in industry 170
Diesel ran on 3 cylinders. C. A. Trimmer. 146
Fuel injection systems work on variable speed Diesels. Nicholas Fodor..... 95
Gas engine mixture adjustment 42
Gas power and hydro work together on Lake Keuka for Lamoka Power Corp. *76
How to choose and test Diesel lubricating oils. J. L. Ingram *122
Oil engines take their position (Ed.)..... 278
Pros and cons of Diesel supercharging. *232
Union Stock Yards uses power from three sources. E. E. Ashley..... *298
Why 350 hp. Diesel engine knocks with less load. Fell, Bunge, Stott, Dohe, Martin, Stalnaker 315
Engines—steam—Good oil for steam cylinders. J. I. Clower *200
National Biscuit Co.'s Detroit factory.. *27

EQUIPMENT—NEW

Alarm, high water *268
Baffle material 213
Baffle partition, vertical *160
Bearings, ball *323
Oil-less *160, 270
Roller *107
Belting, transmission *324
Blower, soot *321
Blowpipe, natural gas *106
Boiler, electric heated steam *268
Welded fire tube *320
Boiler return system *325
Bolts, rivet *161
Brick, heat reflection 320
Brush, tube cleaning *323
Bucket, elevator *270
Bushings, steel-back bronze 104
Cases, square, for instruments *322
Circuit breaker, air *325
Oil 215
Clutch *161, *269
Magnetic *161

Page

Coating, rust preventing 50
Compound, non-slip elevator cable..... 50
Compressor, ammonia booster *212
Concrete, hydraulic refractory..... 49
Condenser-injector *102
Contactor, magnetic *105
Controllers, drum *105
Flow 324
Conveyor, portable *268
Conveyor carrier, anti-friction *49
Cooler, convector *324
Corkboard, sealed 321
Corrosion preventive 323
Couplings, buffer shot *215
Disk actuated spiral *323
Flexible *105
Hydraulic *268
Covering for pipes of cork 321
Damper regulator, hydraulic *49
Damper and furnace draft regulators.. *106
Diehead, self-opening *105
Differential pressure controllers..... *324
Drive, chain *49
Short center *161
Dust collector, framed bag *102
Electrical supervisory control *102
Engine, Diesel *269
Diesel, four cycle *213
Gas *213
Steam *270
Equalizer, automatic, for compensating ropes *270
Extensometer *50
Feeder, portable belt *103
Feeder for small boilers *324
Filter, oil cup *212
Oil and pump *271
Furnace, gas fired air conditioning..... *271
Fusible alloy for boiler control..... 104
Gage, level *214
Gage adapter *51
Galvanometer suspension *213
Gas burner *48
Gasket compound 104
Gearmotor *107
Generator, small A.C. 215
Governor, excess pressure *103
Governor, for steam turbine drives *48
Gun, metal spray *323
Heat exchanger *102
Heat transfer elements, fin type *212
Heater, indirect water *270
Hoist, electric *214
Hose, asbestos covered 50
Humidity control *324
Hydrometer, concentration *50
Indicator, elapsed time *325
Indicators and recorders, portable..... *104
Inert gas supplier for transformers.... *103
Insulator, liquid 320
Joint, packless expansion *320
Linestarter, explosion-resisting *269
Lockwashers and nuts, combination..... *160
Lubrication system 160
Lubrication system for greases *50
Meter, boiler water test 102
Electric flow *215
Fluid *322
Indicating flow *320
Liquid flow *107
Mechanical flow *269
Smoke density *215
Motor, A.C. reversing *106
Capacitor *51, *105, *271
Fractional horsepower *212
Gear *107
Induction *107
Reducer *212, *269, *270
Repulsion induction..... *107
Single phase induction *161
Small *105
Splash proof *322
Splash proof induction *103
Split phase *161, *214
Stainless steel 106
Synchronous *106
Vertical and slip ring *161
Motor and pump *103
Motoreducer, vertical *325
Motor-gear unit *161
Nozzle, spray *50
Ohmmeter, direct reading *214
Oiler, bottle *322
Pressure *161
Oxygen absorber 212
Packing, sheet 271
Packings of rubber *214
Paint, high temperature 321
Rubber 268
Peak limiter *160
Pipe hanger *270
Pipe threaders *213
Pipe threader with power adapter.... *102
Piston ring *105
Porcelain enamel surfaces for turbine pumps 323
Power plant, Ford engined *215
Press, solid CO_2 ..... *324
Pulley drive, V-groove 270
Pulverizer, small unit *102
Pump, automatic proportioning *51
Ball bearing *48
Centrifugal *103, *268, *269, *271
Close clearance steam *50
Horizontal steam 271
Hydraulic *161
Motored centrifugal *321
Propeller *214
Rotary *160
Steam for oil *320
Vacuum *212
Vacuum, and compressor *215
Pump for vacuum heating systems..... *323
Pushbutton station, watertight..... *214

Page

Pyrometer, optical *215
Recording *105
Recorder, liquid level *106
Relative humidity *325
Refractory 271
Refrigeration temperature control..... *323
Register, watthour demand *49
Regulator, temperature and pressure.... *321
Relay, photoelectric *104, *215, *321
Supersensitive *161
Review of new equipment *356
Rubber lining 161
Scale retarder 212
Scrubber, flue gas *104
Sheave, variable pitch diameter steel.. *321
Smoke indicator *269
Soldering lugs 106
Speed control unit *215
Speed reducer *107
Motorized *269
Worm gear *106
Starter, A.C. combination *213
General purpose *215
Synchronous motor *213
Time limit *104
Stoker, full underfeed *323
Hydraulic ram *271
With variable-feed control *322
Strainer, pipe line *107
Superheaters for H.R.T. boilers..... *160
Surge suppressors *160
Switch, control and instrument..... *107
Hand operated A.C. *49
Mercury *105
Pneumatic for controllers *51
Time 160
Switch hook, non-metallic *49
Switchgear 214
Tap changer for transformers *103
Temperature controller with compensating feature *48
Temperature signal 105
Testing sieve shaker *49
Thermometer, recording *323
Transformers, capacitor *322
Transmission *106
Variable speed *105
Trap, bucket *48
Float ..... *27?
Inverted bucket steam *270
Steam *49, *103, *107, *268, *321
Tubing, flexible seamless *160
Turbine, propeller *322
Steam *324
Valve, air control *161
Air saver *105
Bar stock *49
Bonnet assembly *51
Bronze gate *48
Check *102
Electrically operated *106
Gate *322
Globe and angle *320
Hydraulic *106
Lubricated plug *325
Plug type *51
Quick opening *325
Rotary *104
Solenoid-operated gate *214
Tandem boiler blow off *269
Temperature control air *270
Thermostatic *325
Thermostatic radiator *268
Through port *160
Vibration isolator *102
Voltmeter, midget *268
Washer, exhaust *104
Water, boiler, test *214
Water clarification method 212
Welder *48
Gas engine driven *107
Welding fittings *323
Welding nipples *48
Welding regulators *51
Welding rod for coiled aluminum..... 103
Welding torch *50, *107, *161
Wrench, chain pipe *50
Erosion—Accelerated water jet tests reveal erosion resisting metals. T. F. Hengstenberg *1108

F

Fans—Testing and performance (A.S.M.E. meeting) 342

FEED WATER

Boiler feed water (A.S.M.E. meeting).. 344
Boiler feed water softening. W. J. Ryan.*144
Chemical feed for hot lime soda softeners. S. B. Applebaum..... 153
Control of feed water prevents violent fluctuations in load. B. G. Dick (charts) (Portland Gas & Coke).... *242
Formulas give quantities of feed treating chemicals. W. J. Ryan 286
Oil cooling water worth recovering if investment is low. Ningard, Sorrells, Baker 155
Fire—When steam sets fire to oil (Ed.)... 3

FOREWORD—E. C. HUTCHINSON

An appeal to self interest 222
To power readers 1
What to do now 169

FUEL

Coal stuffed fuel oil has possibilities (Ed.) 58

(*) Illustrated. (Ed.) Editorial.

Page

Distribution of fuel, steam, water and electricity charted. H. E. Hill..... 9
Fuel oil situation in New England. D. D. Eames (charts) 12
Fuel progress (A.S.M.E. meeting)..... 341
Gasoline injection for engine fuel (Ed.). 221
Hot fuel oil with less steam. W. J. Tangerman *227
Oil and gas power division reports progress (A.S.M.E. meeting) 338

G

Gages, see Meters.
German power technique advances in face of depression 44

H

Heat balance—Solid CO_2 and heat balance (Ed.) 167
Heaters—Blowdown system competes with heaters. P. F. Rogers 34
Improving operation of water heater. A. F. Sheehan *93

HEATING AND VENTILATING

Boston Post Office — heat and power analysis. D. D. *172
Building heat from bleeder turbine in Newark News Building. G. H. Gibson *176
Cleaning radiator orifices. W. R. T. Tenley; Crosthwait, Jr. 99
Electric boilers solve heating problems. C. R. Reid *120
Electric heat costs. L. T. M. Ralston 35
Hot water for heat pumped to top of Cities Service building *26
Macy plant supplies heating and air conditioning *4
Refrigerating equipment heats Edison building. H. L. Doolittle *29
Refrigeration heating (Ed.) 2
High pressures and temperatures—"Creep" at high temperature (A.S.M.E. meeting) 346
West steam, high pressure data from Purdue (A.S.M.E. meeting).....*334

I

INSPECTION AND MAINTENANCE

Ammonia compressors—operating experience. R. B. Wolf 33
Babbitt melting and pouring pot made of pipe and fittings. John James....*256
Blowing soot from regenerative air heaters. H. S. Colly 206
Can a man repair his own machines?.. 154
Cheaper prevention for caustic embrittlement. C. G. Alexander..... 256
Compressed air used to clean CO_2 recorder filters. W. E. Warner 257
Emergency gland plate permits quick repairs. R. W. Wilkinson.....*150
Emergency light or switches mounted on columns. F. W. Bently, Jr.....*309
Engine saved by inspection. W. W. Dingwall 93
Engine tightened to foundation with reinforced concrete. A. M. Cartwright..*255
Generator kept in service by three little wood blocks. B. A. Briggs.....*207
Hose connected to couplings by heavy wire clamp. B. W. Wheeler *311
How a split pulley was tightened to its shaft. W. H. Moore *149
Hydraulic elevator guide rails reinforced with steel plates. R. K. Rogers.....*203
Leaky coils in oil tanks. Harry Martin 32
Lubricator repaired with paper and shellac. Elton Sterrett *92
Marking special light switches. F. W. Bentley *255
Poor connection caused generator to shirk its load. T. O. Dunn.....*203
Proper controller maintenance increases motor reliability. Marin Phillips.... 235
Scale in feed water pipe caused error in meter reading. G. R. Hahn.....*255
Self-cleaning screen for a pump's suction pipe. C. A. Stevens *92
Short circuit on generator prevents turbine operating at full speed. R. M. Barber 259
Steam gage care. J. F. Hobart..... *98
Stop leaks with chewing gum. J. E. Noble 151
Vapor proof lamp fitting converted into an oiled switch. Ellis Mills.....*204
Vise made for small pipe or tubing. R. O. Brown *257
Instruments, see Meters, Control.

L

Labor—Five men—fourteen bolts. H. D. E. 308
Robertson Committee men promote jobs. E. G. Hutchinson 222

Page

LUBRICATION

Ammonia compressor at slow speeds. R. F. Sorrells 149
Automatic lubricators for elevator parts.*250
Chemical theory of lubrication (A.S.M.E. meeting) 344
Demonstration that lubricating oil penetrates metal. Parish and Cammen.. *22
Economies lurk in hidden places (Ed.).. 3
How to choose and test Diesel lubricating oils. J. L. Ingram *122
Oil supplied automatically to engine crankcase. Orville Adams *310
Steam engine cylinder oils. J. I. Clower.*200

M

Marine—Floating power plants *246
Rex plant largest on ship 273
McGraw-Hill building purchases heat and power. C. P. Wood *16
Mercury—Table comparative operating condition of mercury vapor plants.. 39
Metals—"Creep" at high temperature (A.S.M.E. meeting) 346
Metals of oil engine construction.....*115

METERS

Boiler gage glass readings are misleading. Grant Campbell *206
CO_2 recorder filter cleaned by compressed air. W. E. Warner 257
Steam gage care. J. F. Hobart..... *98
Meters, see also Control.
Modernization—Who will crack this bottle neck? (Ed.) 2
"Mol" simplifies combustion problems. E. F. Dawson 292

N

National Association of Power Engineers—Fifty years with the N.A.P.E.....*137
National Electric Light Association—Prime Movers Committee report on steam turbine 211
National Power Show *351
Noise elimination. C. C. Clymer.....*288

O

OBITUARIES

Ballard, Russel Hanry *164
Beal, Thaddeus R. 218
Burgess, Dr. Geo. K. *54
Cline, Walter B. 110
Elder, John Edgar 274
Fellner, Irving *328
Freeman, John Ripley *274
Guidin, Olaf N. 328
Kerr, Henry H. 110
Mallious, Cyprien 274
Olsen, Tinius 27
Ranton, William J. 110
Sheraton, Robert L. 218
Smith, Thomas Walton 218
Tefft, William W. 110
Oil—Chart and formulas for flow of oil in pipes (Power's Data Sheets) 194

P

PIPING

Bending copper pipes. A. Eyles *312, J. Thorn 258, W. E. Warner..... 151
Chart and formulas for flow of oil in pipes (Power's Data Sheets)..... 194
Expansion joints packed by guns.....*236
Flow in pipes investigated (A.S.M.E. meeting) 340
Hoover Dam hydro pipes built to A.S.M.E. boiler code *101
How to drain a loop in a pipe line....*208
Insulating steam pipe flanges. Wheeler, White, M. G., Baker, Bruning, Berrett, Pearce, McKechnie 261
Linograph for flow of water in pipes (Power's Data Sheets) 304
Pressure drop in steam pipes. Julius Hulman (charts) 15
Welding fittings cut costs of piping. W. J. Johnston (charts) 284
Welding makes possible quick replacement of piping. R. C. Powell.....*205
Welded piping (Ed.) 277
"Power"—a historical summary 8

POWER

Bought or made power (Ed.) 57
Fifty years of power progress.....*137
Low power factor a curable pest (Ed.). 57
Power factor—Chart gives daily record. Kurt Mahnke 91

POWER PLANTS—STEAM

Boston Post Office — heat and power analysis. D. D. Eames.....*172

Page

Cashman laundry generates own power from process steam *195
Central station plant and performance. A. G. Christie *38
Floating power plants *246
Knickerbocker Ice Company combines power units for laundry and ice.....*227
Macy plant supplies heating and air conditioning *4
Magnitogorsk, Siberia, has five great power plants. F. N. Hays *79, note.. 90
Newark News Building has condensing turbine and new cooling towers. G. H. Gibson *176
Pennsylvania Sugar Co. cuts fuel bill with new boilers and turbines..... *59
Portland Gas & Coke Company regulates feedwater to prevent violently fluctuating load. B. G. Dick (charts).*242
Power plant of Washington University Medical School serves 11 institutions in St. Louis *82
Union Stock Yards uses power from three sources. E. E. Ashley *298
Washington, D. C., laundry uses superheater and saves. H. M. Friend *89
Washington University School of Medicine at St. Louis serves eleven units. *85
West Station Berlin. W. E. Wellman..*186

POWER SERVICES

All services for 11 institutions from one plant (Washington University Medical School at St. Louis) *85
Boston Post Office — heat and power analysis. D. D. Eames *172
Byproduct power computations made easy 244
Chart showing power service distribution. H. E. Hill 9
Cheaper heat, power, water for Pennsylvania Sugar *59
Costs metered, analyzed, reduced in 85 plants of National Biscuit. Acheson & Galloway 72
Heating with refrigeration equipment in Edison Building. H. L. Doolittle.... *29
How to save money in purchasing steam (charts) 130
Knickerbocker Ice Company combines power units for laundry and ice....*227
McGraw-Hill building purchases heat and power. C. P. Wood *16
Macy plant saves by supplying own services *4
Relation of central station and isolated plant. E. C. Hutchinson 182
Saving the kilowatts that cost more (Ed.) 2
Steam for Brooklyn Yarn Dye plant cheapened by Modernization. J. G. Berger *135
System for billing metered services in Westinghouse plants. G. J. Zetler, Jr. (charts) *10
Union Stock Yards uses power from three sources. E. E. Ashley *298
Using steam turbines as reducing valve. M. F. Knoy *148
Power transmission—Variable speed transmission has many applications *124
Power unit conversions (Power's Data Sheets) 28, 84

POWER'S DATA SHEETS

Capacities of cylindrical tanks..... 248
Chart and formulas fow of oil in pipes 194
Coals of the United States 140
Linograph for flow of water in pipes.. 304
Power unit conversions 28
Power unit conversions 84
Price cutting (Ed.) 58

PROCESS STEAM

Automatic regulators aid process steam production. F. A. Byles *179
Cashman laundry generates own power from process steam *195
Fuel cost of power from process steam. 244
Pennsylvania Sugar Co. cuts fuel bill with new boilers and turbines..... *59
Superheated steam for detinning..... 31
Superheated steam in laundry. N. W. Petefish 207
Turbine bled for heating Newark News Building. G. H. Gibson *176
Washington, D. C., laundry uses process steam. H. M. Friend *89

PUBLIC UTILITIES

Operating costs on four large power systems (charts) 156
Pearl Street—first central station..... *91
Relation of central station and isolated plant. E. C. Hutchinson 182
A. E. Silver discusses industrial plant competition 78
Pulverized coal—Marking controller points simplifies coal pulverizer operation. T. E. Miller *309
Redford Cleaning & Dyeing Co. buys pulverized coal in paper bags. A. Gruenwald *249

PUMPS

Automatic pumping stations report their own status *307
Combining a hydraulic turbine and a pump. F. A. Allner (charts) 266
Pump design (A.S.M.E. meeting)..... 339
Pump and piston displacement defined.. 42

(*) Illustrated. (Ed.) Editorial.

Page

Pumping water received under pressure 154
Suction heat for centrifugal pump. A. Peterson (charts) *69
Switch connected to check valve protects pump. F. F. MacWilliams. *91
Valve seat repair keeps pump in service. R. K. Murphy *34

R

REFRIGERATION

Ammonia compressors—operating experience. R. B. Wolf 33
A.S.R.E. meeting 354
Heating with refrigerating equipment in Edison building. H. L. Doolittle *29
Knickerbocker Ice Company combines power units for laundry and ice *227
Lubricating ammonia compressor at slow speeds. R. F. Sorrells 149
Plant equipment for 11 institutions centered in one plant (Washington University Medical School at St. Louis) *85
Refrigerating compressor capacity should be adjustable. Leon Bruehler, Jr. *305
Refrigeration—heating (Ed.) 2
Solid CO_2 and heat balance (Ed.) 167
Unloading compressors for easy starting. Leon Buehler, Jr. *146
Research — Largest outdoor hydraulic laboratory (A.S.M.E. meeting) 340

S

St. Lawrence River — New York-St. Lawrence power steps up (Ed.) 58
Treaty signed for development 109
Show, National Power *351

SMOKE ABATEMENT

Edison Co.'s Kneeland Street plant collects flue dust *96
Measurement of solids in smoke. E. C. Hutchinson 24
Pure air and boiler setting (A.S.M.E. meeting) 345
Smoke charts compared 197

STEAM

Combining hydro with steam improves power-system economy (charts) 127
Distribution of fuel, steam, water and electricity charted. H. E. Hill 9
Evaporating with superheated steam 42
Fuel cost of power from process steam. 244
How to save money in purchasing steam (charts) 130
New stokers save fuel in Brooklyn Yarn Dye plant. J. G. Berger *135
Nozzles to measure turbine performance (A.S.M.E. meeting) *336
Pressure drop in steam pipes. Julius Hulman (charts) 15
Research on steam (A.S.M.E. meeting) 344
Wet steam, high pressure data from Purdue (A.S.M.E. meeting) *334
Steel, stainless, in hydro construction (Ed.) 114

Page

STOKERS

Delray stokers fuel report (A.S.M.E. meeting) 341
Sectionalized air control for stokers. J. H. Walker (Beacon St. plant) *282
Steam for Brooklyn Yarn Dye plant cheapened by stokers. J. G. Berger *135
Stokers, see also Boilers.
Superheaters—Steam in laundry. N. W. Petefish 207
Washington, D. C., laundry uses superheater and saves. H. M. Friend *89

T

TANKS

Capacities of cylindrical tanks (Power's Data Sheets) 248
Figuring the capacities of tanks and boilers. C. R. Chadbourne 158
Formulas for tank capacity are easy to apply. E. Bunzel 258
Separating tank to keep oil out of traps. G. B. Longstreet *308
Volume of tanks. C. R. Chadbourne 267
Tax reduction is necessary (Ed.) 278

TURBINES—STEAM

Back pressure turbines give high thermal efficiencies. M. F. Knoy *148
Boilers and turbines cut Pennsylvania Sugar's fuel bill *59
British steam turbine design discussed at A.S.M.E. meeting 45
Central station plant and performance. A. G. Christie *38
Condensing turbine and new cooling towers for Newark News building. G. H. Gibson *176
Nozzles to measure turbine performance (A.S.M.E. meeting) *336
Oil cooler change over shuts down low pressure turbine. H. M. Spring 32
Prime Movers Committee report (N.E.L.A.) 211
Program load control improves steam economy. Hayward & Decamp (charts) *238
Resilient material for turbine blades (Ed.) 2
Testing non-condensing turbines for efficiency. C. H. Berry 259, G. B. Randall *74

V

Vacuum tube will measure hundredth of a millionth of a billionth of an ampere. *25

VALVES

Limit for setting valve opening. E. B. Black *309
Remodeled float mounting prevents cracking. S. R. Stevens *34
Stop check combination valve made up of standard parts *33

(*) Illustrated. (Ed.) Editorial.

Page

Ventilation, see Heating and Ventilation.
Vibration, causes of turbine. W. E. Warner 204

W

Water flow in pipes (Power's Data Sheets) 304

WATER POWER

A.I.E.E. meeting discusses Safe Harbor Kaplan turbines 264
Cavitation in hydraulic turbines *40
Central Power and Light Company's hydro-electric station. Harza & Floor. *188
Colorado River and tunnel for Hoover Dam *26
Combining hydro with steam improves power-steam economy (charts) 127
Electric steam generators use surplus hydro power *295
European hydraulic practice discussed at A.S.M.E. meeting 46
Gas power and hydro work together on Lake Keuka for Lamoka Power Corp. *76
Hoover Dam hydro pipes built to A.S.M.E. boiler code *101
Hydraulic turbine and pump combined in single unit. F. A. Allner (charts) 266
Propeller hydro units for higher heads (Ed.) 221
Propeller turbine honors are even (Ed.) 277
Reversible turbine setting for tidal power plant in England *319
Ryburg Schworstadt has Europe's largest Kaplan turbines *192
Saluda plant controlled by one man at switchboard. O. L. Hooper *205
Sixteen foot hydro valves on Saluda job close in one minute. O. L. Hooper *291
Stainless steel buckets on Pelton water wheels *319
Steam and hydro economics discussed at A.S.M.E. meeting 46
Turbine design (A.S.M.E. meeting) 339
Water supply—forest growths curtail water supply (Ed.) 113

WATER TREATMENT

Boiler feed-water softening. W. J. Ryan. *144
Chemical feed for hot lime soda softeners. S. B. Applebaum 153
Formulas give quantities of feed treating chemicals. W. J. Ryan. 286
High sulphate water 208

WELDING

All welded steel condensers. C. F. Fox. *230
American Welding Society discussed problems *263
Better piping with welding fittings. W. J. Johnston (charts) 284
Casting plus welding for better power equipment *302
Jobs about the plant. C. W. Hope *309
Makes possible quick replacement of piping. R. C. Powell *205
Piping fabricated by oxy-acetylene torches *27
Piping job welded. M. E. Wagner *257
Welding makes better refrigeration *245

AUTHOR INDEX

ACHESON, JOHN M., and R. R. GALLOWAY. National Biscuit saves power dollars in 85 plants 72.
Adams, Orville. Oil supplied automatically to engine crankcase *310.
Agate, Harold J. Why wound rotor motor operates at reduced speed 209.
Alexander, C. G. Cheaper prevention for caustic embrittlement 256.
Allen, Oliver F. Diesel power in industry 170.
Allner, F. A. Hydraulic turbine and pump combined in a single unit (charts) 266.
Applebaum, S. B. Chemical feed for hot lime soda softeners 153.
Armstrong, C. A. Automatic starter replaced by manual in emergency *311. Motor failed to operate at synchronous speed 149.
Arnold, R. H., and L. E. Frost. Selecting insulating varnishes 318.
Ashley, Edward E. Power bill lowered $60,000 *298.

BAKER, L. R. Alignment of chain drives 42. Babbitt or anti-friction metal? 35. Furtrer points on babbitt 153. Insulating steam pipe flanges 260. Oil cooling water worth recovering if investment is low 155.
Barber, R. M. Short circuit on generator prevents turbine operating at full speed 259.
Bement, A. A. Coal buyers and sellers chase rainbows *88.
Bentley, Frank W. Method of marking special light switches *255.
Bentley, F. W., Jr. Emergency light or switches mounted on columns *309.
Berger, J. G. Savings pay for stoker in two years *135.
Berrett, F. E. Insulating steam pipe flanges 261.
Berry, C. Harold. Testing non-condensing turbines for efficiency 259.
Black, Edward B. Limit for setting valve opening *309.
Briggs, B. A. Three little wood blocks keep generator in service *207.
Bristol, Edward S. Pushbutton control permits centralized boiler operation *64.
Brown, R. O. Emergency vise made for small pipe or tubing *257.
Bruning, Geo. L. Insulating steam pipe flanges 261.

Buehler, Leon, Jr. Regulating compressor capacity *305. Unloading compressors for easy starting *146.
Bunge, Max O. Why 350 hp. Diesel engine knocks with less load 314.
Bunzel, E. Formulas for tank capacity are easy to apply 258.
Byles, F. A. Automatic regulators aid process-steam production *179.

CAMPBELL, GRANT. Boiler gage glass readings are misleading *206.
Cartwright, A. M. Engine tightened to foundation with reinforced concrete *255.
Chadbourne, C. R. Figuring the capacities of tanks and boilers 158. Volume of tanks 267.
Christie, A. G. Central station plant and performance *38.
Clower, James I. What is a good oil for steam cylinders *200.
Clymer, C. C. Elastic supports prevent machine noise transmission *288.
Colly, H. S. Blowing soot from regenerative air heaters 206.
Coutant, J. Gould. Free-piston engine compressor *237.

DARNELL, J. R. Constant versus variable speed for auxiliary drives (chart) 157.
Dawson, E. F. The "mol" saves your time 292.
Decamp, R., and A. P. Hayward. Program load control improves steam economy (charts) *238.
DeVaughn, William. Adjusting floor selectors for signal control elevators *66. Reducing power consumption for exit lamps 33.
Dick, B. G. Feedwater regulation for violently fluctuating loads (charts) *242.
Dingwall, Wm. W. Stitch in time saves an engine 93.
Dohe, R. C. Why 350 hp. Diesel engine knocks with less load 315.
Doolittle, H. L. Heating with refrigerating equipment cuts current costs *29.
Dunn, M. S. Alignment of chain drives 42
Dunn, T. O. Poor connection caused generator to shirk its load *203.

EAMES, D. D. Boston Post Office *172. Fuel oil situation in New England (charts) 12.
Ein, S. Connecting alternating current generators in parallel 94. Synchronous motor trips running switch when starting 204.
Emerson, Grady H. Why wound rotor motor operates at reduced speed 209.
Emmons, Ralph. Air in boiler drum causes drop in turbine vacuum 153.
Eyles, A. Bending copper pipes *312.

FELL, WM. Why 350 hp. Diesel engine knocks with less load 314.
Floor, Erik, and L. F. Harza. 4,500 hp. hydro turbine gives 93.9% efficiency *188.
Fodor, Nicholas. Fuel injection systems work on variable speed Diesels 95.
Forschner, H. W., and C. B. Talley. Synchronous motor earns one thousand dollars yearly *241.
Fox, Cletus F. All welded steel condensers *230.
Friedman, Victor N. Why wound rotor motor operates at reduced speed 209.
Friend, H. M. Laundry superheater speeds work and cuts fuel bill *89.
Frost, L. E., and R. H. Arnold. Selecting insulating varnishes 318.

GALLOWAY, R. R., and J. M. ACHESON. National Biscuit saves power dollars in 85 plants 72.
Gibson, George H. Newark News building has condensing turbine and new cooling towers *176.
Glen, Ralph B. Why wound rotor motor operates at reduced speed 208.
Glenn, Ray B. Protecting polyphase motors against single phase operation 313.
Green, C. A. Venting boilers before going on the line 313.
Gruenwald, A. Plant buys pulverized coal in paper bags *249.

HAHN, GORDON R. Scale in feed water pipe causes error in meter reading 255.
Harza, L. F., and Erik Floor. 4,500 hp. hydro turbine gives 93.9% efficiency *188.
Hays, Fred N. Five great power plants rise at Magnitogorsk *79.
Hayward, A. P., and R. Decamp. Program load control improves steam economy (charts) *238.
Heckel, E. F. Continuous blowdown 94.
Hengstenberg, T. F. Accelerated tests reveal erosion resisting metals *118.
Hill, H. Emerson. Chart sums up year's operation 9.
Hobart, James F. Care for the steam gage *98.
Hooper, O. L. Control of generator brakes installed at switchboard *205. 16-ft. butterfly valves close in one minute *291.
Hope, Clarence W. Hints for doing welding jobs about the plant *309. Why wound rotor motor operates at reduced speed 209.
Hulman, Julius. Pressure drop in steam pipes (charts) 15.
Hutchinson, E. C.—Foreword. Appeal to self-interest (Ed.) 222. Central and isolated power generation 182. Measurement of solids in smoke 24. To Power readers 1. What to do now 169.

INGRAM, J. L. Intelligent Diesel lubrication increases efficiency, lowers maintenance cost *122.

JAMES, JOHN. Babbitt melting and pouring pot made of pipe and fittings *256.
Jarnigan, T. E. Wind bulges steel stacks 150.
Johnston, W. J. Better piping at lower cost with welding fittings (charts) 284.
Julsrud, R. S. How anthracite coal burns (charts) *253.

KERR, E. Steam requirements shown by signal system *32.
Knoy, M. F. Back pressure turbines give high thermal efficiencies *148.

LEAVITT, G. E., JR. Alignment of chain drives 43.
Levy, A. Hoyt. Don't reclaim babbitt 35.
Longstreet, G. B. Separating tank to keep oil out of traps *308. Venting boilers before going on the line 313.
Low, David. Alignment of chain drives 43.
Low, Fred R. Greetings—N.A.P.E. 113.
Lykken, H. G. Every good boiler must be at least fifty per cent furnace 20.

McKECHNIE, JOHN D. Insulating steam pipe flanges 261.
MacWilliams, F. Fraser. Switch connected to check valve protects pump *91.
Mahnke, Kurt. Chart gives daily record of plant power factor 91.
Martin, Harry. Leaky coils in oil tanks 32.
Martin, Wallace H. Why 350 hp. Diesel engine knocks with less load 315.
Merriam, Carroll F. Combining hydro with steam improves power-system economy (chart) 127.
Miller, T. E. Marking controller points simplifies coal-pulverizer operation *309.
Mills, C. O. Synchronous motor trips running switch when started 312.
Mills, Ellis. Vapor-proof lamp fittings converted into an oil switch *204.
Moore, W. H. How a split pulley was tightened to its shaft *149.
Morgan, M. W. One field coil short circuited caused another to burn out *92.
Moulson, C. E. Causes of motor operating at reduced speed 258.
Murphy, R. K. Temporary repair on valve seat keeps pump in service *34.
NINGARD, E. L. Oil cooling water worth recovering if investment is low 155.
Noble, James E. Chewing gum used to stop leaks 151.

OLIVE, C. E. Why wound rotor motor operates at reduced speed 209.
Oliver, A. F. Why wound rotor motor operates at reduced speed 208.

PAGETT, EARL. Compressed air and vacuum from one machine 93.
Pearce, Geo. P. Alignment of chain drives 43. Insulating steam pipe flanges 261.
Petefish, N. W. Superheated steam in laundry 207.
Peterson, A. Efficient suction head for centrifugal pump operation *69.
Peugot, Walter S. "Smokeless" or smoking furnaces 95.
Phillips, Marin. Proper controller maintenance 235.
Poore, J. R. Why wound-rotor motor operates at reduced speed 209.
Powell, R. C. Welding makes possible quick replacement of piping *205.

RALSTON, LOUIS T. M. Electric heat less costly than appears 35.
Randall, Guy B. Testing non-condensing turbines for efficiency *74.
Randall, P. R. Air conditioning *279.
Reid, C. R. Electric boilers solve heating problem *120.
Rivett, E. Scott. Venting boilers before going on the line 313.
Rogers, P. F. Blowdown system competes with heaters 34.
Rogers, R. K. Hydraulic elevator guide rails reinforced with steel plates *203.
Ryan, William J. ABC of boiler feed water softening *144. Lime-phosphate-soda, how much? 286.

SCHELKE, R. K. Is a boiler "old" at 51 years—or 20? 256.
Seley, C. A. Circulating pipe connection on Scotch-type boiler 94.
Sheehan, A. F. Improving operation of water heater *93.
Sorrells, R. F. Lubricating ammonia compressor at slow speed 149. Oil cooling water worth recovering if investment is low 155.
Spring, Harry M. Boiler tube failures reduced by extending feedwater header *308. Oil cooler change over shuts down low-pressure turbines 32.
Stalnaker, H. W. Gasoline cools outdoor pump motor *290. Why 350 hp. Diesel engine knocks with less load 315.
Sterrett, Elton. Lubricator repaired with paper and shellac *92.
Stevens, C. A. Self-cleaning screen for a pump's suction pipe *92.
Stevens, S. R. Remodeled float mounting prevents cracking *34.
Stott, Kenneth M. Why 350 hp. Diesel engine knocks with less load 314.
Sugg, Charles R. Changing two phase motors for three phase operation *149.

TALLEY, C. B., and H. W. FORSCHNER. Synchronous motor earns one thousand dollars yearly *241.
Tangerman, W. J. Less heat for circulated oil *228.
Thorn, J. Bending copper pipes 258.
Thornton, B. M. Air heater corrosion 152.
Trimmer, Charles A. Diesel ran on 3 cylinders 146.

VORKAUF, HEINRICH. New boiler spins at turbine speed *223.

WAGNER, M. E. Additional starting point cures control trouble *151. Welding insists in doing a difficult piping job *257.
Walker, J. H. Air control steps up stoker performance *282.
Walsh, Thos A. Blowoff connection 35.
Warden, M. R. Alignment of chain drive 43.
Warner, W. E. Bending copper pipes 151. Causes of turbine vibration 204. Compressed air used to clean CO_2 recorder filters 257. Soap used in water for spraying flyash 256.
Wellman, W. E. West Station Berlin *186.
Wheeler, Burton W. Heavy wire clamp connects hose to couplings *311. Insulating steam pipe flanges 260.
White, John L. Insulating steam pipe flanges 260.
Wilkinson, R. W. Emergency gland plate permits quick repairs *150.
Williams, M. A. Connecting alternating current generators in parallel 152.
Wilson, H. Making load tests on three phase motors 310. Protecting three phase motors against single phase operation 94.
Wolf, Ray B. Operating experiences with ammonia compressors 33.
Wood, Charles P. Now power plant in McGraw-Hill building *16.

YOCUM, G. A. Dowtherm boiler supplies vapor for high-temperature process *202.

ZETLER, C. J., JR. Power service charges (charts) *10.